

TANAGRA FESTIVA.



CHARACTER GENERICUS.

Rostrum conicum, acuminatum, emarginatum,
basi subtrigonum, apice declive.

Lin. Syst. Nat. p. 313.

CHARACTER SPECIFICUS, &c.

TANAGRA viridis, capite cœruleo, collari (maris)
rubro, humeris nigris, flavo marginatis.


TANAGRA Tricolor. Var. β .

Lath. ind. orn. p. 428.

TANAGRA Cayanensis varia cyanocephalos.

Briss. Suppl. p. 62. t. 4. f. 2.

Formosior est Tanagra festiva seu rubricollis vel ipsa Tanagra *Tatao*, quam in hoc opere jam descripsimus. Cayennam inhabitat; et cernere est in tabula naturalem avis magnitudinem. Collari isto splendide sanguineo quo mas ornatur caret femina.





THE
COLLARED TANAGER.

GENERIC CHARACTER.

Bill conical, acuminated, a little inclining towards the point; upper mandible slightly ridged, and notched near the end.

SPECIFIC CHARACTER, &c.

Green TANAGER, with blue head, red collar (in the male) and black shoulders edged with yellow.

The Red-collared TANAGER.

Le Tricolor. *Buff.* 4. p. 276.

Green-headed TANAGER. Var. A.
Lath. Syn. 2. p. 235.

This bird, which perhaps exhibits a more brilliant plumage than even the Tanagra Tatao described in a former number of the present work, is a native of Cayenne, and is represented in its natural size on the annexed plate. The female is destitute of the red collar which forms so conspicuous an ornament in the male.